Import Formats

- DICOM (version 3.0 and 2D stacks) including:
  - 4D (time-resolved) DICOM with time step selection
  - Option to store DICOM tags with imported data
- DICOM encapsulated STL surface models
- ACR-NEMA (versions 1 and 212 (t77 .1 489.07 Tm 0 g 0 G 8BT /F1 9e W* n BT /F1 9 Tf 1 0 0 1 211.37 505.03 Tm 0 g 0 G [( )] TJ ET 2 q 0.00

- Segmented 4D image:
  - Mask RAW (all frames/active frame)
  - Mask MetaImage (all frames/active frame)
- Surface model (triangles):
  - STL
  - IGES
  - 3MF
  - OBJ
  - PLY
  - ACIS (SAT)
  - ANSYS surface
  - ABAQUS surface
  - Open Inventor
  - Point cloud
  - MATLAB file surface
  - DICOM encapsulated STL

- ^ Bone filling

x Advanced filters (more specialist applications):

- ^ Binarization
- ^ Combine backgrounds
- ^ Connected component
- ^ Gradient magnitude
- ^ Lattice factory
- ^ Local maxima
- ^ MRI bias field correction (N4)
- ^

- Preserve mesh periodicity at periodic faces (if any) of the geometry
- Part-wise mesh generation with smooth, conforming interfaces at boundaries
- Adaptive meshing for reduced mesh density away from boundaries
- Automated feature-based mesh refinement (FE Free)
- Boundary layer meshing: generate triangular prism cells close to solid boundaries
- Element quality statistics provided in the log history
- Mesh refinement regions ^ user-defined mesh density control through the use of regions of interest (ROIs) of high density and relaxation/transition zones. Available ROI options include:
  - ^ Rectangular frustum

- Click on an entry in the quality inspection dialog to zoom into the specific element/cell
- Also pin-points location within the image data/segmentation
- User-defined thresholds on quality metrics
- Available mesh quality metrics:
  - Negative Jacobian
  - Volume mesh self-intersection
  - In-out aspect ratio
  - Edge length aspect ratio
  - Angular skew
  - Volume skew
  - Shape factor
  - Min/max dihedral angle
  - Jacobian
  - Minimum edge length
  - Orthogonal skew
  - Face area
  - Element volume
  - Boundary layer edge length ratio (for CFD meshes only)
  - Boundary layer wedge triangle face edge length ration (for CFD meshes only)

Volume Mesh Statistics

- Statistics template for Model statistics
- Count information for elements, nodes, edges, faces
- Volume statistics for elements
- Length statistics for edges
- Area statistics for faces

Volume Mesh Import and Remeshing

- Import a variety of commonly used volume mesh formats:
  - Ansys databases (*.cdb)
  - Abaqus input files (*.inp)
  - Nastran files (*.bdf, *.dat, *.nas, *.nastran)
  - VTK files (*.vtk, *.vtu)
-